

· &5F ': UT-RD-PRE-000254

Model: UT-8232?ô | –
(x ñ =0 Ö USB Eœ RS-232 Eœ ' ~)

×

ñ

?ô

|

–

f œ Ö Ñ © Ö © ö Ö _____

1. $\tilde{n}(|) > fFP v \ddot{Y}$


- $\tilde{n}(| \ddot{O} \cdot \# 0 \circ \ddot{A}UTEK \ddot{A}$
- $fFP v \ddot{O}$
- Logo \ddot{O}

2. $(x \backslash$


$(x \backslash$	\circ	CE65	$\tilde{N} h65$	7#
V1.0	2022-07			

5. E7J Ê yB\$ >


DB9 M(PIN)	EÁ * '
1	Ô`
2	Õ f ž SIN (RXD)
3	F1 ž SOUT (TXD)
4	ž4ø1 ö 7 DTR
5	` GND
6	ž>ø5ž ö 7 DSR
7	B"r F1 RTS
8	\$5L" F1 CTS
9	ýJó 7/j RI



USB-A 2« ÖUSB 'EÁ • ú E7J 6G} .



6. x ñ?ö . Ä F?ò . Å




7. x ñAÔAñCtC(# »# ?ô) B\$ >

2

8. 5 ´j(.

... } Ömm



- 1 Ä 7 ö USB A2« Ö œ d
- 2 Ä% # .ñ)ß
- 3 ÄU 8ç V •;m 7 ö USB2.0FJ 4i
- 4 Ä 7 ö DB9œ d

9. jDÛK (| Ä 5 [AÔAñ 7Aö Å

2

10.Lt &\$5 ...

=0	Gÿ Ä ... } Å
5>ö-	1PC
M%o+e>»	1PC
P _i Ø 7 E	1PC
8 IAñ	1PC
USBd7& ‡	1PC

11. 5>õ é ? ú F1á 7Aö



5>õ- j(_ Ö 180*138*40 P P f P P

:+O x @ ' Ä +O x O ÎLuCW(TM j ö Ä

12. ^ ØF EÄ?±"r

^ Ø\$Y Ö Ö-40 Ö ` +85 Ö,-()\$ Ö j 5% ` 95%

13. Ð / 4ô>š 1>õ# ? »N© Ä F9 Å

14. " » ò ,#{B é# Ä F9 Å

15. x ñCX ú = Ñ Ä F9 Å