





300mVA
0
62.5 VA, 60 W
2500V DC
-40° C ~ +85° C
-40° C ~ +85° C
5% ~ 95%RH

3.1 MODBUS

Modbus MODICON S- - 1979

MODBUS-RTU

MODBUS-RTU



8

3.3
(1)

	1	0x01~0xF7
	1	0x05
	2	0x0000: NO1 0x0001: NO2 0x0002: NO3 0x0003: NO4
	2	0x0000: 0xFF00:
CRC	2	

1

0x01 ~ 0xF7

j



3. 4

	1	0x01~0xF7
	1	0x06
	2	0x1388
	2	0x0001~0x00F7
CRC	2	

	1	0x01~0xF7
	1	0x06
	2	0x1388
	2	0x0001~0x00F7
CRC	2	

3. 5

	1	0x01~0xF7
	1	0x06
	2	0x1389
	2	0x0001
CRC	2	

	1	0x01~0xF7
	1	0x06
	2	0x1389
	2	0x0001
CRC	2	

	bps
0000H	1200
0001H	2400
0002H	4800
0003H	9600
0004H	19200
0005H	38400
0006H	57600
0007H	115200



3.6

	1	0x01~0xF7
	1	0x03
	2	0x1388
	2	0x0001
CRC	2	

	1	0x01~0xF7
	1	0x03
	1	0x02
	2	0x0001~0x00F7
CRC	2	

(7)

	1	0x01~0xF7
	1	0x03
	2	0x1389
	2	0x0001
CRC	2	

	1	0x01~0xF7
	1	0x03
	1	0x02
	2	0x0000~0x0007
CRC	2	



4.1

: